

METRIC

**DIMENSIONS ARE IN METRES  
AND/OR MILLIMETRES  
UNLESS OTHERWISE SHOWN**

HWY 11  
CONT No  
GWP No759-93-00



HIGHWAY 11 MAINLINE STRONG TOWNSHIP	SHEET
--	-------

# NET

STRONG TOWNSHIP  
STATION 11+075 TO 11+225  
MEDIAN CL& SBL CL& SBL TOE& SEC  
BOREHOLE LOCATIONS AND SOIL STRAT











**Marshall  
Macklin  
Monaghan**

**CONSULTING ENGINEERS • SURVEYORS • PLANNERS**

THURBER ENGINEERING LTD.

THURBERG



L E G E N D			
	Bore Hole		
	Dynamic Cone Penetration Test (cone)		
	Bore Hole & Cone		
N	Blows/0.3m (Std pen Test, 475J/blow)		
CONC	Blows/0.3m (60° Cone, 475J/blow)		
PH	Pressure, Hydraulic		
	WL in Piezometer at Time of Investigation (Date)		
	Head Artesian Water		
	Piezometer		
	WL in Open Borehole Upon Completion of Drilling		
90%	Rock Quality Designation (RQD)		
A/R	Auger Refusal		
C/R	Cone Refusal		
NO	STATION	OFFSET FROM MEDIAN CL	
11+075 L18.75	11 + 075	L18.75	
11+120 L18.75	11 + 120	L18.75	
11+175 L10	11 + 175	L10	
11+225 L20	11 + 225	L20	
11+150 L40	11 + 150	L40	
11+200 L40	11 + 200	L40	
11+075 CL	11 + 075	0	
11+150 L5	11 + 150	L5	
11+075 R15	11 + 075	R15	
11+075 R35	11 + 075	R35	

The boundaries between soil strata have been established only at Bore Hole locations. Between Bore Holes the boundaries are assumed from geological evidence.

REVISIONS			
NOV 04	SP	ISSUED AS DRAFT FOR REVIEW	
DATE	BY	DESCRIPTION	
DESIGN SKP	CHK SKP	CODE	
DEAWN TF	CHK PJB	SITE	
		LOAD	
		STRUCT	
		SCHEME	
		DWG DT	
		DATE 16-Nov-04	

DRAWING NOT TO BE SCALED  
100 mm ON ORIGINAL DRAWING